




PASTA

GRILL

LED
SPOT



ZLS




ZLS | LK SERIES



LKS

LKR



ZLS-LKX-40-W-220-C-P-I



PRODUCT CODE	DIMENSIONS	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLS-LKR-40-1-220-C-P-I	40x32x30mm	1Watt	110-240VAC	SW-WW-NW-W	A-B-W-BR-RAL	145lm
ZLS-LKR-40-3-220-C-P-I	40x32x30mm	3Watt	110-240VAC	SW-WW-NW-W	A-B-W-BR-RAL	435lm
ZLS-LKS-40-1-220-C-P-I	40x32x30mm	1Watt	110-240VAC	SW-WW-NW-W	A-B-W-BR-RAL	145lm
ZLS-LKS-40-3-220-C-P-I	40x32x30mm	3Watt	110-240VAC	SW-WW-NW-W	A-B-W-BR-RAL	435lm

Power W	
1	1Watt
3	3Watt

Light Color C					
SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P	
A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
BR	BRASS DULL
RAL	Special RAL CODE

IP I	
44	IP44
65	IP65


Options

Controls

- 1-10V Controller
- DMX512A
- Emergency Lighting
- Dali Controller
- LED IoT WI-FI

Options Lens

- Ultra Narrow Lens
- Narrow Lens
- Medium Lens





ZLS-MB-47-2-220-C-P-I

PRODUCT CODE	DIMENSIONS	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLS-MB-47-2-220-C-P-I	47x35x35mm	2Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	290lm


Power W	
18	18Watt
26	26Watt

Light Color C					
SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P	
A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

IP I	
44	IP44
65	IP65

Options	Controls	Options	Lens
 1-10V Controller	 DMX512A	 Emergency Lighting	 DALI Controller
	 LED IoT WI-FI		 Ultra Narrow Lens
			 Narrow Lens
			 Medium Lens






ZLS | MS SERIES



MSR



MSS



ZLS-MSX-83-8-220-C-P-I



PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLS-MSR-83-8-220-C-P-I	83x75x70mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm
ZLS-MSS-85-8-220-C-P-I	85x75x70mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm

Dimensions **D**

	A	B	C
83	∅83mm	75mm	70mm
85	85mm	75mm	70mm

Light Color **C**

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color **P**

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE




IP **I**

44	IP44
65	IP65

Options **Controls**



Options **Lens**





MRB



MRT



ZLS-MRX-97-8-220-C-P-I

PRODUCT CODE	DIMENSIONS	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLS-MRB-97-8-220-C-P-I	97x75x75mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-BR-RAL	1160lm
ZLS-MRT-97-8-220-C-P-I	97x100x90mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm

Dimensions D

	A	B	C
MRB	∅97mm	75mm	75mm
MRT	∅97mm	100mm	90mm

Light Color C

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
BR	BRASS DULL
RAL	Special RAL CODE

IP I




44	IP44
65	IP65

Options

1-10V Controller, DMX512A, Emergency Lighting, Dali Controller, LED IoT WI-FI

Options Lens

Ultra Narrow Lens, Narrow Lens, Medium Lens





ZLS | SH SERIES



SHR



SHS



ZLS-SHX-97-8-220-C-P-I



PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLS-SHR-97-8-220-C-P-I	97x75x85mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm
ZLS-SHS-97-8-220-C-P-I	97x75x85mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm

Dimensions D		A	B	C
SHR	∅97mm	75mm	85mm	
SHS	97mm	75mm	85mm	

Light Color C		SW	NW	WW	W
		2700K	4000K	3000K	6500K

Body Color P		A	B	W	RAL
		Anthracite - RAL7016	Black - RAL9005	White - RAL9003	Special RAL CODE




IP I		44	65
		IP44	IP65

Options

- 1-10V Controller
- DMX512A
- Emergency Lighting
- DALI Controller
- LED IoT WI-FI

Options Lens

- Ultra Narrow Lens
- Narrow Lens
- Medium Lens





MHR



MHS



ZLS-MH**X**-108-8-220-C-P-I

PRODUCT CODE	DIMENSIONS	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLS-MHR-108-8-220-C-P-I	108x75x90mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm
ZLS-MHS-108-8-220-C-P-I	108x75x90mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm

Dimensions D

	A	B	C
MHR	∅108mm	75mm	90mm
MHS	108mm	75mm	90mm

Light Color C

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

IP I




44	IP44
65	IP65

Options Controls

1-10V Controller	DMX512A	Emergency Lighting	Dali Controller	LED IoT WI-FI

Options Lens

Ultra Narrow Lens	Narrow Lens	Medium Lens





ZLS | LH SERIES



LHR



LHS



ZLS-LHX-117-8-220-C-P-I



PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLS-LHR-117-8-220-C-P-I	117x75x105mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm
ZLS-LHS-117-8-220-C-P-I	117x95x105mm	8Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1160lm

Dimensions D

	A	B	C
LHR	∅117mm	75mm	105mm
LHS	117mm	95mm	105mm

Light Color C

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

IP I

44	IP44
65	IP65

Options



1-10V
Controller



DMX512



Emergency
Lighting



DALI
Controller



LED IoT
WI-FI

Controls

Options Lens




Ultra
Narrow
Lens




Narrow
Lens




Medium
Lens




LHS



LHR





RDL RDM RDS



ZLS-RDX-D-6-220-C-P-44

PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZSL-RDS-10-6-220-C-P-44	55x10x100mm	6Watt	110-240VAC	SW-WW-NW-W	A-B-W-BR-RAL	870lm
ZSL-RDM-300-6-220-C-P-44	55x250x100mm	6Watt	110-240VAC	SW-WW-NW-W	A-B-W-BR-RAL	870lm
ZSL-RDL-500-6-220-C-P-44	55x400x100mm	6Watt	110-240VAC	SW-WW-NW-W	A-B-W-BR-RAL	870lm

Dimensions D

	A	B	L
10	55mm	100mm	10mm
250	55mm	100mm	250mm
400	55mm	100mm	400mm

Light Color C


SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
BR	BRASS DULL
RAL	Special RAL CODE

Options Lens

Ultra Narrow Lens
Narrow Lens
Medium Lens



Options Controls

1-10V Controller
DMX512A
Emergency Lighting
Dali Controller
LEDiOT WI-FI



ZLS | SC SERIES



SCS

SCM



ZLS-SCX-D-2-V-C-P-44



PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE V	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLS-SCS-20-2-V-C-P-44	20x40x300mm	2Watt	DC - AC	SW-WW-NW-W	A-B-W-RAL	290lm
ZLS-SCM-30-2-V-C-P-44	30x40x300mm	2Watt	DC - AC	SW-WW-NW-W	A-B-W-RAL	290lm

Dimensions **D**

	A	B	L
20	∅20mm	40mm	300mm
30	∅30mm	40mm	300mm

VOLT **V**


DC	10-30VDC
AC	110-240VAC

Light Color **C**

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color **P**

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Controls



Options Lens





ZLS-MG**X**-D-W-V-C-P-44

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZSL-MGS-20-2-DC-C-P-44	20x40mm	2Watt	10-30VDC	SW-WW-NW-W	A-B-W-BR-RAL	290lm
ZSL-MGM-40-3-DC-C-P-44	40x60mm	3Watt	10-30VDC	SW-WW-NW-W	A-B-W-BR-RAL	435lm
ZSL-MGL-60-5-DC-C-P-44	60x100mm	5Watt	10-30VDC	SW-WW-NW-W	A-B-W-BR-RAL	725lm

Dimensions **D**

	A	B	C
20	20mm	40mm	65mm
40	40mm	60mm	65mm
60	60mm	80mm	65mm

Power **W**


2	2Watt
3	3Watt
5	5Watt

Light Color **C**

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color **P**

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
BR	BRASS DULL
RAL	Special RAL CODE



Options Controls



Options Lens

