LIGHTING POLE

ZLP

ZLP L SERIES



ZLP-L-D-W-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-L-300-20-220-C-P-65	300cm	20Watt	110-240VAC	WW-NW-W	A-B-W-RAL	2900lm
ZLP-L-350-20-220-C-P-65	350cm	20Watt	110-240VAC	WW-NW-W	A-B-W-RAL	2900lm
ZLP-L-400-30-220-C-P-66	400cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm

Dimensions D

	A	B	C	h
300	700mm	150mm	100mm	3000mm
350	700mm	150mm	100mm	3500mm
400	800mm	150mm	100mm	4000mm

Power W

20	20Watt
30	30Watt

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Lens

Asymmetrical Lens

Street Light Lens

Park Light Lens



Options Controls

Dali Controller

LED IOT WI-FI

Smart CITY

IP65 IK06 -30° +50° RoHS Compliant CRI >80 CE

ZLP-T-**D**-**W**-220-**C**-**P**-65

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-T-300-40-220-C-P-65	300cm	40Watt	110-240VAC	WW-NW-W	A-B-W-RAL	5800lm
ZLP-T-350-40-220-C-P-65	350cm	40Watt	110-240VAC	WW-NW-W	A-B-W-RAL	5800lm
ZLP-T-400-60-220-C-P-66	400cm	60Watt	110-240VAC	WW-NW-W	A-B-W-RAL	8700lm

Dimensions D

	A	B	C	h
300	1200mm	150mm	100mm	3000mm
350	1200mm	150mm	100mm	3500mm
400	1450mm	150mm	100mm	4000mm

Power W

40	40Watt
60	60Watt

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Lens

Asymmetrical Lens

Street Light Lens

Park Light Lens

Options Controls

Dali Controller

LED IOT WI-FI

Smart CITY

ZLP LS SERIES

ZLP-LS-D-30-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-LS-300-30-220-C-P-65	300cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-LS-400-30-220-C-P-65	400cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm

Dimensions D

	A	B	C	h1	h2
300	700mm	150mm	100mm	3000mm	2400mm
400	700mm	150mm	100mm	4000mm	3300mm

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Lens

Asymmetrical Lens

Street Light Lens

Park Light Lens



Options Controls

Dali Controller

LED IOT WI-FI

Smart CITY

IP65 IK06 -30° +50° RoHS Compliant CRI >80 CE

ZLP-LL-D-30-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-LL-300-60-220-C-P-65	300cm	60Watt	110-240VAC	WW-NW-W	A-B-W-RAL	8700lm
ZLP-LL-400-60-220-C-P-65	400cm	60Watt	110-240VAC	WW-NW-W	A-B-W-RAL	8700lm

Dimensions D

	A	B	C	h1	h2
300	1450mm	150mm	100mm	3000mm	2300mm
400	1450mm	150mm	100mm	4000mm	3200mm

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Lens

Asymmetrical Lens

Street Light Lens

Park Light Lens

Options Controls

Dali Controller

LED IOT WI-FI

LoRa Smart CITY

ZLP Z SERIES



ZLP-Z-D-30-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-Z-300-30-220-C-P-65	300cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-Z-350-30-220-C-P-65	350cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-Z-400-30-220-C-P-66	400cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm

Dimensions D

	A	B	C	h
300	550mm	150mm	100mm	3000mm
350	600mm	150mm	100mm	3500mm
400	600mm	150mm	100mm	4000mm

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Lens

Street Light Lens

Park Light Lens

Options Controls

Dali Controller

LED IOT WI-FI

Smart CITY

IP65 IK10 -30° +50° RoHS Compliant CRI >80 CE

ZLP-H-D-W-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-H-300-15-220-C-P-65	300cm	15Watt	110-240VAC	WW-NW-W	A-B-W-RAL	2175lm
ZLP-H-350-20-220-C-P-65	350cm	20Watt	110-240VAC	WW-NW-W	A-B-W-RAL	2900lm
ZLP-H-400-25-220-C-P-66	400cm	25Watt	110-240VAC	WW-NW-W	A-B-W-RAL	3625lm

Dimensions D

	A	B	h
300	150mm	150mm	3000mm
350	150mm	150mm	3500mm
400	150mm	150mm	4000mm

Power W

15	15Watt
20	20Watt
25	25Watt

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Controls

Dali Controller

LED IOT WI-FI

LoRa Smart CITY

ZLP-I SERIES



ZLP-I-D-W-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-I-300-30-220-C-P-65	300cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-I-350-30-220-C-P-65	350cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-I-400-45-220-C-P-66	400cm	45Watt	110-240VAC	WW-NW-W	A-B-W-RAL	6525lm

Dimensions D

	A	h
300	Ø120mm	3000mm
350	Ø120mm	3500mm
400	Ø120mm	4000mm

Power W

30	30Watt
45	45Watt

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Controls

Dali Controller

LED IOT WI-FI

LoRa Smart CITY



IP65 IK10 -30° +50° RoHS Compliant CRI >80 CE

ZLP-IS-D-W-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-IS-300-30-220-C-P-65	300cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-IS-350-30-220-C-P-65	350cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-IS-400-45-220-C-P-66	400cm	45Watt	110-240VAC	WW-NW-W	A-B-W-RAL	6525lm

Dimensions D

	A	h
300	Ø170mm	3000mm
350	Ø170mm	3500mm
400	Ø170mm	4000mm

Power W

30	30Watt
45	45Watt

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE



Options Controls

Dali Controller

LED IOT WI-FI

LoRa Smart CITY

ZLP D SERIES

ZLP-D-**D**-60-220-**C**-**P**-65

PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-D-300-60-220-C-P-65	300cm	60Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-D-400-60-220-C-P-65	400cm	60Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm

Dimensions D

	A	h
300	Ø550mm	3000mm
400	Ø550mm	4000mm

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options Controls

Dali Controller

LED IOT WI-FI

LoRa Smart CITY





IP65 IK04 -30° +50° RoHS Compliant CRI >80 CE

ZLP-O-D-60-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-O-300-60-220-C-P-65	300cm	60Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm
ZLP-O-400-60-220-C-P-65	400cm	60Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm

Dimensions D

	A	h
300	Ø600mm	3000mm
400	Ø600mm	4000mm

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options Controls

Dali Controller

LED IOT WI-FI

LoRa Smart CITY



ZLP DN SERIES

ZLP-DN-**D**-40-220-**C**-**P**-65

PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-DN-300-40-220-C-P-65	300cm	40Watt	110-240VAC	WW-NW-W	A-B-W-RAL	5800lm
ZLP-DN-400-40-220-C-P-65	400cm	40Watt	110-240VAC	WW-NW-W	A-B-W-RAL	5800lm

Dimensions D

	A	h
300	Ø800mm	3000mm
400	Ø800mm	4000mm

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options Controls

Dali Controller

LED IOT WI-FI

Smart CITY



IP65 IK09 -30° +50° RoHS Compliant CRI >80 CE

ZLP-B-D-W-220-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZLP-B-300-20-220-C-P-65	300cm	20Watt	110-240VAC	WW-NW-W	A-B-W-RAL	2900lm
ZLP-B-350-20-220-C-P-65	350cm	20Watt	110-240VAC	WW-NW-W	A-B-W-RAL	2900lm
ZLP-B-400-30-220-C-P-66	400cm	30Watt	110-240VAC	WW-NW-W	A-B-W-RAL	4350lm

Dimensions D

	A	h
300	Ø400mm	3000mm
350	Ø400mm	3500mm
400	Ø400mm	4000mm

Power W

20	20Watt
30	30Watt

Light Color C

WW	3000K
NW	4000K
W	6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE





Options

Controls

Dali Controller

LED IOT WI-FI

LoRa Smart CITY