




LINEER
LIGHT



ZLL



ZLL MINI SERIES




ZLL-MINI-L-W-V-C-G-I-K-S-M



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING M	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-MINI-30-W-V-C-G-I-K-S-M	30Led	2.4W	7.2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB	K-CK	C-B	1044lm
ZLL-MINI-42-W-V-C-G-I-K-S-M	42Led	3.4W	10.2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB	K-CK	C-B	1479lm
ZLL-MINI-60-W-V-C-G-I-K-S-M	60Led	4.8W	14.4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB	K-CK	C-B	2088lm
ZLL-MINI-72-W-V-C-G-I-K-S-M	72Led	4.8W	17.2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB	K-CK	C-B	2494lm
ZLL-MINI-90-W-V-C-G-I-K-S-M	90Led	4.8W	21.6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB	K-CK	C-B	3132lm
ZLL-MINI-120-W-24-C-G-I-K-S-M	120Led	4.8W	21.6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB	K-CK	C-B	3132lm
ZLL-MINI-180-W-24-C-G-I-K-S-M	180Led	4.8W	21.6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB	K-CK	C-B	3132lm
ZLL-MINI-60-W-24-DW-G-I-K-S-M	60Led	4.8W	14.4W	24VDC	DW	GREY	CLB-ICB	K-CK	C-B	2088lm
ZLL-MINI-120-W-24-DW-G-I-K-S-M	120Led	4.8W	21.6W	24VDC	DW	GREY	CLB-ICB	K-CK	C-B	3132lm
ZLL-MINI-30-7,2-24-RGB-G-I-K-S-M	30Led		7.2W	24VDC	RGB	GREY	CLB-ICB	K-CK	C-B	-
ZLL-MINI-60-14,4-24-RGB-G-I-K-S-M	60Led		14.4W	24VDC	RGB	GREY	CLB-ICB	K-CK	C-B	-

1mt/Led L Power W Voltage V




Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue

Cover K



Socket S




Options Controls



Mounting M


C	STEEL CLIP
B	D.S. TAPE



ZLL-S-L-W-V-C-G-I-K-S-M

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING M	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-S-30-W-V-C-G-I-K-S-M	30Led	2,4W	7,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	1044lm
ZLL-S-42-W-V-C-G-I-K-S-M	42Led	3,4W	10,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	1479lm
ZLL-S-60-W-V-C-G-I-K-S-M	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	2088lm
ZLL-S-72-W-V-C-G-I-K-S-M	72Led	4,8W	17,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	2494lm
ZLL-S-90-W-V-C-G-I-K-S-M	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	3132lm
ZLL-S-120-W-24-C-G-I-K-S-M	120Led	4,8W	28,8W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	4176lm
ZLL-S-180-W-24-C-G-I-K-S-M	180Led	4,8W	28,8W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	4176lm
ZLL-S-60-W-24-DW-G-I-K-S-M	60Led	4,8W	14,4W	24VDC	DW	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	2088lm
ZLL-S-120-W-24-DW-G-I-K-S-M	120Led	4,8W	28,8W	24VDC	DW	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	4176lm
ZLL-S-30-7,2-24-RGB-G-I-K-S-M	30Led	7,2W		24VDC	RGB	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-
ZLL-S-60-14,4-24-RGB-G-I-K-S-M	60Led	14,4W		24VDC	RGB	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-
ZLL-S-60-12-24-RGBX-G-I-K-S-M	60Led	12W		24VDC	RGBX	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-
ZLL-S-84-17-24-RGBX-G-I-K-S-M	84Led	17W		24VDC	RGBX	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-
ZLL-S-90-16,8-24-RGBXX-G-I-K-S-M	90Led	16,8W		24VDC	RGBXX	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-


1mt/Led L Power W Voltage V




Light Color C

DW	2700K ~ 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW	RGB+XX	RGBA+W RGBA+WW RGBW+WW

Cover K



Socket S



Options Controls




Mounting M

C	STEEL CLIP
B	D.S. TAPE
A	ALUMIN. CLIP



ZLL-M SERIES




ZLL-M-L-W-V-C-G-I-K-S-M



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING M	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-M-30-W-V-C-G-I-K-S-M	30Led	2.4W	7.2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	1044lm
ZLL-M-42-W-V-C-G-I-K-S-M	42Led	3.4W	10.2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	1479lm
ZLL-M-60-W-V-C-G-I-K-S-M	60Led	4.8W	14.4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	2088lm
ZLL-M-72-W-V-C-G-I-K-S-M	72Led	4.8W	17.2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	2494lm
ZLL-M-90-W-V-C-G-I-K-S-M	90Led	4.8W	21.6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	3132lm
ZLL-M-120-W-V-C-G-I-K-S-M	120Led	4.8W	28.8W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	4176lm
ZLL-M-180-W-24-C-G-I-K-S-M	180Led	4.8W	28.8W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	4176lm
ZLL-M-60-W-24-DW-G-I-K-S-M	60Led	4.8W	14.4W	24VDC	DW	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	2088lm
ZLL-M-120-W-24-DW-G-I-K-S-M	120Led	4.8W	28.8W	24VDC	DW	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	4176lm
ZLL-M-30-7,2-24-RGB-G-I-K-S-M	30Led	7.2W		24VDC	RGB	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-
ZLL-M-60-14,4-24-RGB-G-I-K-S-M	60Led	14.4W		24VDC	RGB	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-
ZLL-M-60-12-24-RGBX-G-I-K-S-M	60Led	12W		24VDC	RGBX	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-
ZLL-M-84-17-24-RGBX-G-I-K-S-M	84Led	17W		24VDC	RGBX	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-
ZLL-M-90-16,8-24-RGBXX-G-I-K-S-M	90Led	16.8W		24VDC	RGBXX	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C-B-A	-


1mt/Led L Power W Voltage V




Light Color C

DW	2700K ~ 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW	RGB+XX	RGBA+W RGBA+WW RGBW+WW

Cover K



Socket S




Options Controls



Mounting M


C	STEEL CLIP
B	D.S. TAPE
A	ALUMIN. CLIP



ZLL-L-L-W-V-C-G-I-K-S-C

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-L-60-14,4-V-C-G-I-K-S-M	60Led	14,4W		12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	2088lm
ZLL-L-72-17,2-V-C-G-I-K-S-M	72Led	17,2W		12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	2494lm
ZLL-L-90-21,6-V-C-G-I-K-S-M	90Led	21,6W		12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	3132lm
ZLL-L-120-28,8-V-C-G-I-K-S-M	120Led	28,8W		24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	4176lm
ZLL-L-180-36-24-C-G-I-K-S-M	180Led	36W		24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	5220lm
ZLL-L-120-28,8-24-DW-G-I-K-S-M	120Led	28,8W		24VDC	DW	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	4176lm
ZLL-L-60-14,4-24-RGB-G-I-K-S-M	60Led	14,4W		24VDC	RGB	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	-
ZLL-L-84-17-24-RGBX-G-I-K-S-M	84Led	17W		24VDC	RGBX	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	-
ZLL-L-90-16,8-24-RGBXX-G-I-K-S-M	90Led	16,8W		24VDC	RGBXX	GREY	CLB-ICB-CLD-ICD-ICHB-CLHB-CLK-ICK	K-CK-IPC	C	-


1mt/Led **L** Power **W** Voltage **V**




Light Color **C**

DW	2700K ~ 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW	RGB+XX	RGBA+W RGBW+WW RGBW+WW

Cover **K**



Socket **S**



Options Controls




Mounting **M**





ZLL-FS SERIES




ZLL-FS-L-W-V-C-G-I-K-S-M



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING M	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-FS-60-W-V-C-G-I-K-S-M	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	C-B	2088lm
ZLL-FS-90-W-V-C-G-I-K-S-M	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	C-B	3132lm
ZLL-FS-120-W-24-C-G-I-K-S-M	120Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	C-B	3132lm
ZLL-FS-180-W-24-C-G-I-K-S-M	180Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	C-B	3132lm

1mt/Led L Power W Voltage V




Light Color C

SW	2700K	A (590nm)	Amber
WW	3000K	R (625nm)	Red
NW	4000K	G (525nm)	Green
W	6500K	B (465nm)	Blue

Cover K



Socket S





Options Controls



Mounting M


C	STEEL CLIP
B	D.S. TAPE



ZLL-FM-L-W-V-C-G-I-K-S-M

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING M	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-FM-60-W-V-C-G-I-K-S-M	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	C-B	2088lm
ZLL-FM-90-W-V-C-G-I-K-S-M	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	C-B	3132lm
ZLL-FM-120-W-24-C-G-I-K-S-M	120Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	C-B	3132lm
ZLL-FM-180-W-24-C-G-I-K-S-M	180Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	C-B	3132lm
ZLL-FM-60-W-24-DW-G-I-K-S-M	60Led	4,8W	14,4W	24VDC	DW	GREY	CLD-ICD	K-CK-IPC	C-B	2088lm
ZLL-FM-120-W-24-DW-G-I-K-S-M	120Led	4,8W	21,6W	24VDC	DW	GREY	CLD-ICD	K-CK-IPC	C-B	3132lm
ZLL-FM-30-7,2-24-RGB-G-I-K-S-M	30Led	7,2W		24VDC	RGB	GREY	CLD-ICD	K-CK-IPC	C-B	-
ZLL-FM-60-14,4-24-RGB-G-I-K-S-M	60Led	14,4W		24VDC	RGB	GREY	CLD-ICD	K-CK-IPC	C-B	-

1mt/Led L Power W Voltage V




Light Color C

DW	2700K ~ 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue

Cover K



Socket S



Options Controls




Mounting M

C	STEEL CLIP
B	D.S. TAPE



ZLL-IC5 SERIES




ZLL-CS-L-W-V-C-G-I-K-S-M



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING M	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-CS-30-W-V-C-G-I-K-S-M	30LED	2,4W	7,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICD	K-CK-IPC	B-A	1044lm
ZLL-CS-60-W-V-C-G-I-K-S-M	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICD	K-CK-IPC	B-A	2088lm
ZLL-CS-90-W-V-C-G-I-K-S-M	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICD	K-CK-IPC	B-A	3132lm
ZLL-CS-120-W-24-C-G-I-K-S-M	120Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICD	K-CK-IPC	B-A	3132lm
ZLL-CS-180-W-24-C-G-I-K-S-M	180Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICD	K-CK-IPC	B-A	3132lm
ZLL-CS-60-W-24-DW-G-I-K-S-M	60Led	4,8W	14,4W	24VDC	DW	GREY	ICB-ICD	K-CK-IPC	B-A	2088lm
ZLL-CS-120-W-24-DW-G-I-K-S-M	120Led	4,8W	21,6W	24VDC	DW	GREY	ICB-ICD	K-CK-IPC	B-A	3132lm
ZLL-CS-30-7,2-24-RGB-G-I-K-S-M	30Led		7,2W	24VDC	RGB	GREY	ICB-ICD	K-CK-IPC	B-A	-
ZLL-CS-60-14,4-24-RGB-G-I-K-S-M	60Led		14,4W	24VDC	RGB	GREY	ICB-ICD	K-CK-IPC	B-A	-

1mt/Led L Power W Voltage V




Light Color C

DW	2700K ~ 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue

Cover K



Socket S




Options Controls



Mounting M


B	D.S. TAPE
A	ALUMIN. CLIP



ZLL-CM-L-W-V-C-G-I-K-S-M

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING M	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-CM-30-W-V-C-G-I-K-S-M	30Led	2,4W	7,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICL	K-CK-IPC	B-A	1044lm
ZLL-CM-42-W-V-C-G-I-K-S-M	42Led	3,4W	10,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICL	K-CK-IPC	B-A	1479lm
ZLL-CM-60-W-V-C-G-I-K-S-M	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICL	K-CK-IPC	B-A	2088lm
ZLL-CM-72-W-V-C-G-I-K-S-M	72Led	4,8W	17,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICL	K-CK-IPC	B-A	2494lm
ZLL-CM-90-W-V-C-G-I-K-S-M	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICL	K-CK-IPC	B-A	3132lm
ZLL-CM-120-W-24-C-G-I-K-S-M	120Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICL	K-CK-IPC	B-A	3132lm
ZLL-CM-180-W-24-C-G-I-K-S-M	180Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	ICB-ICL	K-CK-IPC	B-A	3132lm
ZLL-CM-60-W-24-DW-G-I-K-S-M	60Led	4,8W	14,4W	24VDC	DW	GREY	ICB-ICL	K-CK-IPC	B-A	2088lm
ZLL-CM-120-W-24-DW-G-I-K-S-M	120Led	4,8W	21,6W	24VDC	DW	GREY	ICB-ICL	K-CK-IPC	B-A	3132lm
ZLL-CM-30-7,2-24-RGB-G-I-K-S-M	30Led	7,2W		24VDC	RGB	GREY	ICB-ICL	K-CK-IPC	B-A	-
ZLL-CM-60-14,4-24-RGB-G-I-K-S-M	60Led	14,4W		24VDC	RGB	GREY	ICB-ICL	K-CK-IPC	B-A	-
ZLL-CM-60-12-24-RGBX-G-I-K-S-M	60Led	12W		24VDC	RGBX	GREY	ICB-ICL	K-CK-IPC	B-A	-
ZLL-CM-84-17-24-RGBX-G-I-K-S-M	84Led	17W		24VDC	RGBX	GREY	ICB-ICL	K-CK-IPC	B-A	-


1mt/Led L Power W Voltage V




Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW		

Cover K



Socket S



Options Controls





Mounting M

B	D.S. TAPE
A	ALUMIN. CLIP



ZLL-DS SERIES




ZLL-DS-L-W-V-C-P-I-K-S



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR P	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-DS-30-W-V-C-P-I-K-S	30Led	2,4W	7,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	1044lm
ZLL-DS-60-W-V-C-P-I-K-S	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DS-90-W-V-C-P-I-K-S	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DS-120-W-24-C-P-I-K-S	120Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DS-180-W-24-C-P-I-K-S	180Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DS-60-W-24-DW-P-I-K-S	60Led	4,8W	14,4W	24VDC	DW	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DS-120-W-24-DW-P-I-K-S	120Led	4,8W	21,6W	24VDC	DW	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DS-30-7,2-24-RGB-P-I-K-S	30Led	7,2W		24VDC	RGB	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-
ZLL-DS-60-14,4-24-RGB-P-I-K-S	60Led	14,4W		24VDC	RGB	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-

1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue

Body Color P


A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE

Options





Controls

Cover K



Socket S






ZLL-DM-L-W-V-C-P-I-K-S

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR P	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-DM-30-W-V-C-P-I-K-S	30LED	2,4W	7,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	1044lm
ZLL-DM-60-W-V-C-P-I-K-S	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DM-90-W-V-C-P-I-K-S	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DM-120-W-24-C-P-I-K-S	120Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DM-180-W-24-C-P-I-K-S	180Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DM-60-W-24-DW-P-I-K-S	60Led	4,8W	14,4W	24VDC	DW	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DM-120-W-24-DW-P-I-K-S	120Led	4,8W	21,6W	24VDC	DW	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DM-30-7,2-24-RGB-P-I-K-S	30Led		7,2W	24VDC	RGB	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-
ZLL-DM-60-14,4-24-RGB-P-I-K-S	60Led		14,4W	24VDC	RGB	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-

1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue


Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE


Options Controls



Cover K





Socket S





ZLL | DL SERIES




ZLL-DL-L-W-V-C-P-I-K-S



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR P	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-DL-30-W-V-C-P-I-K-S	30Led	2.4W	7.2W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	1044lm
ZLL-DL-60-W-V-C-P-I-K-S	60Led	4.8W	14.4W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DL-90-W-V-C-P-I-K-S	90Led	4.8W	21.6W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DL-120-W-24-C-P-I-K-S	120Led	4.8W	21.6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DL-180-W-24-C-P-I-K-S	180Led	4.8W	21.6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DL-60-W-24-DW-P-I-K-S	60Led	4.8W	14.4W	24VDC	DW	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DL-120-W-24-DW-P-I-K-S	120Led	4.8W	21.6W	24VDC	DW	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-DL-30-7,2-24-RGB-P-I-K-S	30Led	7.2W		24VDC	RGB	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-
ZLL-DL-60-14,4-24-RGB-P-I-K-S	60Led	14.4W		24VDC	RGB	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-
ZLL-DL-60-12-24-RGBX-P-I-K-S	60Led	12W		24VDC	RGBX	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-
ZLL-DL-84-17-24-RGBX-P-I-K-S	84Led	17W		24VDC	RGBX	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-
ZLL-DL-90-16,8-24-RGBXX-P-I-K-S	90Led	16.8W		24VDC	RGBXX	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	-

1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW	RGB+XX	RGBA+W RGBA+WW RGBW+WW

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE


Options Controls




Cover K



Socket S






ZLL-DF-L-W-V-C-P-I-K-S

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR P	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-DF-60-W-V-C-P-I-K-S	60Led	4.8W	14.4W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DF-90-W-V-C-P-I-K-S	90Led	4.8W	14.4W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DF-120-W-24-C-P-I-K-S	120Led	4.8W	14.4W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DF-180-W-24-C-P-I-K-S	180Led	4.8W	14.4W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DF-60-W-24-DW-P-I-K-S	60Led	4.8W	14.4W	24VDC	DW	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-DF-120-W-24-DW-P-I-K-S	120Led	4.8W	14.4W	24VDC	DW	A-B-W-G-RAL	CLD-ICD	K-CK-IPC	-	2088lm

1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE


Options Controls



Cover K




Socket S





ZLL HA SERIES




ZLL-HA-L-W-V-C-P-I-K-S-A



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR P	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-HA-30-W-V-C-P-I-K-S	30Led	4,8W		12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	696lm
ZLL-HA-60-W-V-C-P-I-K-S	60Led	9,6W		12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	1392lm
ZLL-HA-60-W-24-DW-P-I-K-S	60Led	9,6W		24VDC	DW	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	1392lm
ZLL-HA-120-W-24-DW-P-I-K-S	120Led	14,4W		24VDC	DW	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	2088lm
ZLL-HA-30-7,2-24-RGB-P-I-K-S	30Led	7,2W		24VDC	RGB	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	-
ZLL-HA-60-14,4-24-RGB-P-I-K-S	60Led	14,4W		24VDC	RGB	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	-

1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue


Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE


Options Controls





Cover K



Socket S






ZLL-HK-L-W-V-C-P-I-K-S-A

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR P	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-HK-30-W-V-C-P-I-K-S	30Led	4,8W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	696lm	
ZLL-HK-60-W-V-C-P-I-K-S	60Led	9,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	1392lm	
ZLL-HK-60-W-24-DW-P-I-K-S	60Led	9,6W	24VDC	DW	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	1392lm	
ZLL-HK-120-W-24-DW-P-I-K-S	120Led	14,4W	24VDC	DW	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	2088lm	
ZLL-HK-30-7,2-24-RGB-P-I-K-S	30Led	7,2W	24VDC	RGB	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	-	
ZLL-HK-60-14,4-24-RGB-P-I-K-S	60Led	14,4W	24VDC	RGB	A-B-W-G-RAL	ICK-ICB	K-CK-IPC	A	-	

1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue


Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE


Options Controls



Cover K




Socket S





ZLL A20 SERIES




ZLL-A20-L-W-V-C-G-I-K-S



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-A20-30-W-V-C-G-I-K-S	30Led	2,4W	7,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	1044lm
ZLL-A20-60-W-V-C-G-I-K-S	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-A20-90-W-V-C-G-I-K-S	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-A20-120-W-24-C-G-I-K-S	120Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-A20-180-W-24-C-G-I-K-S	180Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-A20-60-W-24-DW-G-I-K-S	60Led	4,8W	14,4W	24VDC	DW	GREY	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-A20-120-W-24-DW-G-I-K-S	120Led	4,8W	21,6W	24VDC	DW	GREY	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-A20-30-7,2-24-RGB-G-I-K-S	30Led		7,2W	24VDC	RGB	GREY	CLD-ICD	K-CK-IPC	-	-
ZLL-A20-60-14,4-24-RGB-G-I-K-S	60Led		14,4W	24VDC	RGB	GREY	CLD-ICD	K-CK-IPC	-	-


1mt/Led L Power W Voltage V




Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue

Cover K




Socket S



Options Controls






ZLL-A35-L-W-V-C-G-I-K-S

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-A35-60-W-V-C-G-I-K-S	60Led	4,8W	14,4W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	2088lm
ZLL-A35-90-W-V-C-G-I-K-S	90Led	4,8W	21,6W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-A35-120-W-24-C-G-I-K-S	120Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-A35-180-W-24-C-G-I-K-S	180Led	4,8W	21,6W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-A35-120-W-24-DW-G-I-K-S	120Led	4,8W	21,6W	24VDC	DW	GREY	CLD-ICD	K-CK-IPC	-	3132lm
ZLL-A35-60-14,4-24-RGB-G-I-K-S	60Led		14,4W	24VDC	RGB	GREY	CLD-ICD	K-CK-IPC	-	-
ZLL-A35-84-17-24-RGBX-G-I-K-S	84Led		17W	24VDC	RGBX	GREY	CLD-ICD	K-CK-IPC	-	-


1mt/Led L Power W Voltage V




Light Color C

DW	2700K ~ 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW		

Cover K



Socket S




Options Controls





ZLL A50 SERIES




ZLL-A50-L-W-V-C-G-I-K-S



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-A50-60-W-V-C-G-I-K-S	60Led	9,6W	28,8W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	4176lm
ZLL-A50-90-W-V-C-G-I-K-S	90Led	9,6W	43,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	6264lm
ZLL-A50-120-W-24-C-G-I-K-S	120Led	9,6W	43,2W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	6264lm
ZLL-A50-180-W-24-C-G-I-K-S	180Led	9,6W	43,2W	24VDC	SW-WW-NW-W-R-G-B-A	GREY	CLD-ICD	K-CK-IPC	-	6264lm
ZLL-A50-120-W-24-DW-G-I-K-S	120Led	28,8W	43,2W	24VDC	DW	GREY	CLD-ICD	K-CK-IPC	-	6264lm
ZLL-A50-60-14,4-24-RGB-G-I-K-S	60Led		28,8W	24VDC	RGB	GREY	CLD-ICD	K-CK-IPC	-	-
ZLL-A50-84-17-24-RGBX-G-I-K-S	84Led		34W	24VDC	RGBX	GREY	CLD-ICD	K-CK-IPC	-	-


1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW		


Cover K




Options Controls



Socket S






ZLL-O27-L-W-V-C-P-I-K-S-C

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-O27-60-W-V-C-P-I-K-S-C	60Led	4.8W	14.4W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD-CLB-ICB-CLK-ICK	K-CK-IPC	STEEL CLIP	2088lm
ZLL-O27-90-W-V-C-P-I-K-S-C	90Led	4.8W	21.6W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD-CLB-ICB-CLK-ICK	K-CK-IPC	STEEL CLIP	3132lm
ZLL-O27-120-W-24-C-P-I-K-S-C	120Led	4.8W	21.6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD-CLB-ICB-CLK-ICK	K-CK-IPC	STEEL CLIP	3132lm
ZLL-O27-180-W-24-C-P-I-K-S-C	180Led	4.8W	21.6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLD-ICD-CLB-ICB-CLK-ICK	K-CK-IPC	STEEL CLIP	3132lm
ZLL-O27-120-W-24-DW-P-I-K-S-C	120Led	4.8W	21.6W	24VDC	DW	A-B-W-G-RAL	CLD-ICD-CLB-ICB-CLK-ICK	K-CK-IPC	STEEL CLIP	3132lm
ZLL-O27-60-14,4-24-RGB-P-I-K-S-C	60Led		14.4W	24VDC	RGB	A-B-W-G-RAL	CLD-ICD-CLB-ICB-CLK-ICK	K-CK-IPC	STEEL CLIP	-
ZLL-O27-84-17-24-RGBX-P-I-K-S-C	84Led		17W	24VDC	RGBX	A-B-W-G-RAL	CLD-ICD-CLB-ICB-CLK-ICK	K-CK-IPC	STEEL CLIP	-

1mt/Led **L** Power **W** Voltage **V**



Light Color **C**

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW		


Body Color **P**

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE


Options Controls



Cover **K**





Socket **S**





ZLL-O35 SERIES




ZLL-O35-L-W-V-C-P-I-K-S-A



PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-O35-60-W-V-C-P-I-K-S-A	60Led	4.8W	14.4W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	2088lm
ZLL-O35-90-W-V-C-P-I-K-S-A	90Led	4.8W	21.6W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	3132lm
ZLL-O35-120-W-24-C-P-I-K-S-A	120Led	4.8W	21.6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	3132lm
ZLL-O35-180-W-24-C-P-I-K-S-A	180Led	4.8W	21.6W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	3132lm
ZLL-O35-120-W-24-DW-P-I-K-S-A	120Led	14.4W	21.6W	24VDC	DW	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	3132lm
ZLL-O35-60-14,4-24-RGB-P-I-K-S-A	60Led	14.4W		24VDC	RGB	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	-
ZLL-O35-84-17-24-RGBX-P-I-K-S-A	84Led	17W		24VDC	RGBX	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	-

1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW		


Body Color P

A	Anthracic - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE


Options Controls




Cover K



Socket S






ZLL-O50-L-W-V-C-P-I-K-S-A

PRODUCT CODE	1mt/LED L	POWER W		VOLTAGE V	LIGHT COLOR C	BODY COLOR	COVER K	SOCKET S	MOUNTING	LIGHT INTENSITY Max. Watt
		MIN	MAX							
ZLL-O50-60-W-V-C-P-I-K-S-A	60Led	9,6W	28,8W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	4176lm
ZLL-O50-90-W-V-C-P-I-K-S-A	90Led	9,6W	43,2W	12-24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	6264lm
ZLL-O50-120-W-24-C-P-I-K-S-A	120Led	9,6W	43,2W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	6264lm
ZLL-O50-180-W-24-C-P-I-K-S-A	180Led	9,6W	43,2W	24VDC	SW-WW-NW-W-R-G-B-A	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	6264lm
ZLL-O50-120-W-24-DW-P-I-K-S-A	120Led	28,8W	43,2W	24VDC	DW	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	ALUM. CLIP	6264lm
ZLL-O50-60-14,4-24-RGB-P-I-K-S-A	60Led	28,8W		24VDC	RGB	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	-	-
ZLL-O50-84-17-24-RGBX-P-I-K-S-A	84Led	34W		24VDC	RGBX	A-B-W-G-RAL	CLB-ICB-CLK-ICK	K-CK-IPC	-	-

1mt/Led L Power W Voltage V



Light Color C

DW	2700K - 6500K	SW	2700K
WW	3000K	A (590nm)	Amber
NW	4000K	R (625nm)	Red
W	6500K	G (525nm)	Green
RGB	RGB	B (465nm)	Blue
RGB+X	RGBA RGBW RGBWW		


Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
G	Grey - RAL7045
RAL	Special RAL CODE

Options Controls



Cover K



Socket S

