




TRACK
LIGHT



ZTL



ZTL | MB SERIES



MBS

MBM



ZTL-MB**X**-D-9-220-C-P-44



PRODUCT CODE	DIMENSIONS D	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-MBS-98-9-220-C-P-44	59x98mm	9Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1305lm
ZTL-MBM-160-9-220-C-P-44	59x160mm	9Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	1305lm

Dimensions		D		
	A	B	h	
98	ø59mm	98mm	56mm	
140	ø59mm	160mm	32mm	

Light Color		C			
SW		2700K	WW		3000K
NW		4000K	W		6500K


Body Color		P
A	Anthracite - RAL7016	
B	Black - RAL9005	
W	White - RAL9003	
RAL	Special RAL CODE	

Options Lens


- Ultra Narrow Lens
- Narrow Lens
- Medium Lens
- Honey Comb

Options Controls

- 1-10V Controller
- DMX512A
- Emergency Lighting
- DALI Controller
- LED IoT WI-FI



MBS



MBM



ZTL-MC-140-W-220-C-P-44

PRODUCT CODE	DIMENSIONS	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-MC-140-18-220-C-P-44	90x140mm	18Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	2610lm
ZTL-MC-140-26-220-C-P-44	90x140mm	26Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	3770lm

Power W

18	18Watt
26	26Watt

Light Color C

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P


A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options Lens

Ultra Narrow Lens	Narrow Lens	Medium Lens	Honey Comb

Options Controls

1-10V Controller	DMX512A	Emergency Lighting	Dali Controller	LED DOT WI-FI





ZTL | MD SERIES



ZTL-MD-180-W-220-C-P-44



PRODUCT CODE	DIMENSIONS	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-MD-180-26-220-C-P-44	95x180mm	26Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	3770lm
ZTL-MD-180-33-220-C-P-44	95x180mm	33Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	4785lm


Power W	
26	26Watt
33	33Watt

Light Color C					
SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P	
A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options	Lens
	Ultra Narrow Lens
	Narrow Lens
	Medium Lens
	Honey Comb

Options	Controls
1-10V Controller	DMX512A
Emergency Lighting	DALI
Dali Controller	LED IoT WI-FI





ZTL-MG-113-W-220-C-P-44

PRODUCT CODE	DIMENSIONS	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-MG-113-18-220-C-P-44	100x113mm	18Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	2610lm
ZTL-MG-113-26-220-C-P-44	100x113mm	26Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	3770lm


Power W	
18	18Watt
26	26Watt

Light Color C					
SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P	
A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options	Lens
	Ultra Narrow Lens
	Narrow Lens
	Medium Lens
	Honey Comb

Options	Controls
1-10V Controller	DALI
DMX512A	Emergency Lighting
LEDiOT Wi-Fi	Dali Controller





ZTL | MH SERIES



ZTL-MH-116-26-220-C-P-44




PRODUCT CODE	DIMENSIONS	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-MH-116-26-220-C-P-44	92x116mm	26Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	3770lm

Light Color		C
SW		2700K WW
NW		4000K W
		3000K
		6500K

Body Color		P
A	Anthracite - RAL7016	
B	Black - RAL9005	
W	White - RAL9003	
RAL	Special RAL CODE	

Options	Lens
	Ultra Narrow Lens
	Narrow Lens
	Medium Lens
	Honey Comb

Options	Controls
1-10V Controller	DMX512A
Emergency Lighting	DALI Controller
LED IoT WI-FI	





ZTL-MK-120-26-220-C-P-44


PRODUCT CODE	DIMENSIONS	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-MK-120-26-220-C-P-44	100x113mm	26Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	3770lm

Light Color		C
SW		2700K WW
NW		4000K W
		3000K 6500K

Body Color		P
A	Anthracite - RAL7016	
B	Black - RAL9005	
W	White - RAL9003	
RAL	Special RAL CODE	

Options	Lens
	Ultra Narrow Lens
	Narrow Lens
	Medium Lens
	Honey Comb

Options	Controls
1-10V Controller	DMX512A
Emergency Lighting	Dali Controller
	LED ON WI-FI





ZTL | CP SERIES



ZTL-CP-140-20-220-C-P-44




PRODUCT CODE	DIMENSIONS	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-CP-140-20-220-C-P-44	140x1650mm	20Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	2900lm

Light Color				C
SW		2700K	WW	
NW		4000K	W	
		3000K		6500K

Body Color		P
A	Anthracite - RAL7016	
B	Black - RAL9005	
W	White - RAL9003	
RAL	Special RAL CODE	

Options	Controls
1-10V Controller	DMX512A
Emergency Lighting	DALI Controller
	LEDiOT Wi-Fi






ZTL-CS-140-20-220-C-P-44

PRODUCT CODE	DIMENSIONS	POWER	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-CS-140-20-220-C-P-44	140x220mm	20Watt	110-240VAC	SW-WW-NW-W	A-B-W-RAL	2900lm

Light Color				C
SW		2700K	WW	
NW		4000K	W	
				3000K 6500K


Body Color		P
A	Anthracite - RAL7016	
B	Black - RAL9005	
W	White - RAL9003	
RAL	Special RAL CODE	

Options	Controls
 1-10V Controller	 DMX512A
 Emergency Lighting	 DALI
	 LED IoT Wi-Fi





ZTL | NC SERIES



ZTL-NC-D-W-220-C-P-44



PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-NC-80-20-220-C-P-44	800mm	20Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	2900lm
ZTL-NC-120-30-220-C-P-44	1200mm	30Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	4350lm
ZTL-NC-160-40-220-C-P-44	1600mm	40Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	5800lm
ZTL-NC-200-50-220-C-P-44	2000mm	50Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	7250lm

Dimensions **D**

	A	B	L
80	50mm	80mm	800mm
120	50mm	80mm	1200mm
160	50mm	80mm	1600mm
200	50mm	80mm	2000mm

Power **W**

20	20Watt
30	30Watt
40	40Watt
50	50Watt

Light Color **C**

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color **P**

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options Controls

1-10V
Controller

DMX512A

Emergency
Lighting

DALI
Controller


LED IoT
WI-FI


Options Lens

Ultra
Narrow
Lens

Narrow
Lens

Medium
Lens





ZTL-NL-D-W-220-C-P-44

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-NL-80-20-220-C-P-44	800mm	20Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	2900lm
ZTL-NL-120-30-220-C-P-44	1200mm	30Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	4350lm
ZTL-NL-160-40-220-C-P-44	1600mm	40Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	5800lm
ZTL-NL-200-50-220-C-P-44	2000mm	50Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	7250lm

Dimensions D

	A	B	L
80	50mm	80mm	800mm
120	50mm	80mm	1200mm
160	50mm	80mm	1600mm
200	50mm	80mm	2000mm

Power W

20	20Watt
30	30Watt
40	40Watt
50	50Watt


Light Color C

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color P

A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options Controls





ZTL | BS SERIES



ZTL-BS-D-W-220-C-P-44



PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-BS-430-6-220-C-P-44	40x300mm	6Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	870lm
ZTL-BS-450-6-220-C-P-44	40x500mm	6Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	870lm
ZTL-BS-630-9-220-C-P-44	60x300mm	9Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	1305lm
ZTL-BS-650-9-220-C-P-44	60x500mm	9Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	1305lm

Dimensions **D**

	A	B	L
430	40mm	80mm	300mm
450	40mm	80mm	500mm
630	60mm	100mm	300mm
650	60mm	100mm	500mm

Power **W**

6	6Watt
9	9Watt

Light Color **C**

SW		2700K	WW		3000K
NW		4000K	W		6500K

Body Color **P**


A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options Controls

- 1-10V Controller
- DMX512
- Emergency Lighting
- DALI Controller
- LED IoT WI-FI

Options Lens

- Ultra Narrow Lens
- Narrow Lens
- Medium Lens
- Honey Comb





ZTL-BT-D-W-220-C-P-44

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZTL-BT-430-6-220-C-P-44	40x300mm	6Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	870lm
ZTL-BT-460-6-220-C-P-44	40x600mm	6Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	870lm
ZTL-BT-630-9-220-C-P-44	60x300mm	9Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	1305lm
ZTL-BT-660-9-220-C-P-44	60x600mm	9Watt	110 - 240VAC	SW-WW-NW-W	A-B-W-RAL	1305lm

	Dimensions D		
	A	B	L
430	40mm	300mm	500mm
460	40mm	600mm	500mm
630	60mm	300mm	500mm
650	60mm	600mm	500mm

Power W	
6	6Watt
9	9Watt

Light Color C				
SW		2700K	WW	3000K
NW		4000K	W	6500K

Body Color P	
A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options Controls

