




WALLWASHER



ZWW



ZWW-SL SERIES



ZWW-SL-D-W-V-C-P-65




PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE V	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZWW-SL-80-3-V-C-P-65	80mm	3Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	435lm (White)
ZWW-SL-160-6-V-C-P-65	160mm	6Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	870lm (White)
ZWW-SL-240-9-V-C-P-65	240mm	9Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	1305lm (White)
ZWW-SL-320-12-V-C-P-65	320mm	12Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	1740lm (White)
ZWW-SL-480-18-V-C-P-65	480mm	18Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	2610lm (White)
ZWW-SL-640-24-V-C-P-65	640mm	24Watt	DC - AC	WW-NW-W-R-G-B-A-RGB-RGBW-RGBA	A-B-W-RAL	3480lm (White)
ZWW-SL-800-30-V-C-P-65	800mm	30Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	4350lm (White)
ZWW-SL-960-36-V-C-P-65	960mm	36Watt	DC - AC	WW-NW-W-R-G-B-A-RGB-RGBW-RGBA	A-B-W-RAL	5220lm (White)

Dimensions D			
	A	B	L
80	55mm	64mm	80mm
160	55mm	64mm	160mm
240	55mm	64mm	240mm
320	55mm	64mm	320mm
480	55mm	64mm	480mm
640	55mm	64mm	640mm
800	55mm	64mm	800mm
960	55mm	64mm	960mm

Power W	
3	3Watt
6	6Watt
9	9Watt
12	12Watt
18	18Watt
24	24Watt
30	30Watt
36	36Watt

VOLT V	
DC	10-30VDC
AC	110-240VAC


Light Color C					
WW		3000K	A (590nm)		Amber
NW		4000K	R (625nm)		Red
W		6500K	G (525nm)		Green
RGB		RGB	B (465nm)		Blue
RGBW		RGBW	RGBA		RGBA



Options	Lens
	Narrow Lens
	Medium Lens
	Wide Lens
	With Out Lens

Body Color P	
A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options	Controls
	1-10V Controller
	DMX512A
	Dali Controller
	LED IoT WI-FI



ZWW-M-D-W-V-C-P-65

PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE V	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZWW-M-80-3-V-C-P-65	80mm	3Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	435lm (White)
ZWW-M-160-6-V-C-P-65	160mm	6Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	870lm (White)
ZWW-M-240-9-V-C-P-65	240mm	9Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	1305lm (White)
ZWW-M-320-12-V-C-P-65	320mm	12Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	1740lm (White)
ZWW-M-480-18-V-C-P-65	480mm	18Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	2610lm (White)
ZWW-M-640-24-V-C-P-65	640mm	24Watt	DC - AC	WW-NW-W-R-G-B-A-RGB-RGBW-RGBA	A-B-W-RAL	3480lm (White)
ZWW-M-800-30-V-C-P-65	800mm	30Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	4350lm (White)
ZWW-M-960-36-V-C-P-65	960mm	36Watt	DC - AC	WW-NW-W-R-G-B-A-RGB-RGBW-RGBA	A-B-W-RAL	5220lm (White)

Dimensions D			
	A	B	L
80	48mm	64mm	80mm
160	48mm	64mm	160mm
240	48mm	64mm	240mm
320	48mm	64mm	320mm
480	48mm	64mm	480mm
640	48mm	64mm	640mm
800	48mm	64mm	800mm
960	48mm	64mm	960mm

Power W	
3	3Watt
6	6Watt
9	9Watt
12	12Watt
18	18Watt
24	24Watt
30	30Watt
36	36Watt


VOLT V	
DC	10-30VDC
AC	110-240VAC

Light Color C					
WW		3000K	A (590nm)		Amber
NW		4000K	R (625nm)		Red
W		6500K	G (525nm)		Green
RGB		RGB	B (465nm)		Blue
RGBW		RGBW	RGBA		RGBA

Options	Lens
	Narrow Lens
	Medium Lens
	Wide Lens
	With Out Lens

Body Color P	
A	Anthracyte - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options	Controls
	1-10V Controller
	DMX512A
	Dali Controller
	LED IoT WI-FI





ZWW-D SERIES



ZWW-D-D-W-V-C-P-65




PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE V	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZWW-D-80-6-V-C-P-65	80mm	6Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	870lm (White)
ZWW-D-160-12-V-C-P-65	160mm	12Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	1740lm (White)
ZWW-D-240-18-V-C-P-65	240mm	18Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	2610lm (White)
ZWW-D-320-24-V-C-P-65	320mm	24Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	3480lm (White)
ZWW-D-480-36-V-C-P-65	480mm	36Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	5220lm (White)
ZWW-D-640-48-V-C-P-65	640mm	48Watt	DC - AC	WW-NW-W-R-G-B-A-RGB-RGBW-RGBA	A-B-W-RAL	6960lm (White)
ZWW-D-800-60-V-C-P-65	800mm	60Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	A-B-W-RAL	8700lm (White)
ZWW-D-960-72-V-C-P-65	960mm	72Watt	DC - AC	WW-NW-W-R-G-B-A-RGB-RGBW-RGBA	A-B-W-RAL	10440lm (White)

Dimensions D			
	A	B	L
80	55mm	64mm	80mm
160	55mm	64mm	160mm
240	55mm	64mm	240mm
320	55mm	64mm	320mm
480	55mm	64mm	480mm
640	55mm	64mm	640mm
800	55mm	64mm	800mm
960	55mm	64mm	960mm

Power W	
6	3Watt
12	6Watt
18	9Watt
24	12Watt
36	18Watt
48	24Watt
60	30Watt
72	36Watt

VOLT V	
DC	10-30VDC
AC	110-240VAC


Light Color C					
WW		3000K	A (590nm)		Amber
NW		4000K	R (625nm)		Red
W		6500K	G (525nm)		Green
RGB		RGB	B (465nm)		Blue
RGBW		RGBW	RGBA		RGBA



Options	Lens
	Narrow Lens
	Medium Lens
	Wide Lens
	With Out Lens

Body Color P	
A	Anthracite - RAL7016
B	Black - RAL9005
W	White - RAL9003
RAL	Special RAL CODE

Options	Controls
	1-10V Controller
	DMX512A
	Dali Controller
	LED IoT WI-FI



ZWW-AN-D-W-V-C-P-65


PRODUCT CODE	DIMENSIONS D	POWER W	VOLTAGE V	LIGHT COLOR C	BODY COLOR P	LIGHT INTENSITY
ZWW-AN-150-3-V-C-P-65	150mm	3Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	ST-B-A-RAL	435lm (White)
ZWW-AN-220-6-V-C-P-65	220mm	6Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	ST-B-A-RAL	870lm (White)
ZWW-AN-300-9-V-C-P-65	300mm	9Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	ST-B-A-RAL	1305lm (White)
ZWW-AN-375-12-V-C-P-65	375mm	12Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	ST-B-A-RAL	1740lm (White)
ZWW-AN-530-18-V-C-P-65	530mm	18Watt	DC - AC	WW-NW-W-R-G-B-A-RGB	ST-B-A-RAL	2610lm (White)
ZWW-AN-690-24-V-C-P-65	690mm	24Watt	DC - AC	WW-NW-W-R-G-B-A-RGB-RGBW-RGBA	ST-B-A-RAL	3480lm (White)
ZWW-AN-1010-36-V-C-P-65	1010mm	36Watt	DC - AC	WW-NW-W-R-G-B-A-RGB-RGBW-RGBA	ST-B-A-RAL	5220lm (White)

Dimensions	A	B	C	L
150	55mm	75mm	75mm	150mm
220	55mm	75mm	75mm	220mm
300	55mm	75mm	75mm	300mm
375	55mm	75mm	75mm	375mm
530	55mm	75mm	75mm	530mm
690	55mm	75mm	75mm	690mm
1010	55mm	75mm	75mm	1010mm

Power	W
3	3Watt
6	6Watt
9	9Watt
12	12Watt
18	18Watt
24	24Watt
36	36Watt

VOLT	V
DC	10-30VDC
AC	110-240VAC

Light Color	C
WW	3000K A (590nm) Amber
NW	4000K R (625nm) Red
W	6500K G (525nm) Green
RGB	RGB B (465nm) Blue
RGBW	RGBW RGBA



Options	Lens
Narrow Lens	Medium Lens
Wide Lens	With Out Lens

Body Color	P
ST	SS 316L
B	Black - RAL9005
A	Anthracite - RAL7016
RAL	Special RAL CODE

Options	Controls
1-10V Controller	DMX512A
Dali Controller	LED IoT WI-FI

* USE OUTSIDE THE PRODUCT AND WITH 12-24VDC ONLY